

**Appendix C**  
**Technology Attitude Scale Results**

<b>Item Number</b>		<b>Mean</b>	<b>Standard Deviation</b>	<b>High</b>	<b>Low</b>	<b>Median</b>	<b>Ave Abs Dev From Mean</b>
1	Pre-test	6.00	1.410	7	3	6.50	1.000
	Post-test	6.38	1.060	7	4	7.00	0.625
2	Pre-test	5.25	1.670	7	3	5.00	1.250
	Post-test	6.25	1.040	7	4	6.50	0.750
3	Pre-test	5.38	1.410	7	4	5.00	1.120
	Post-test	6.12	0.991	7	5	6.50	0.875
4	Pre-test	3.75	1.390	6	2	4.00	1.000
	Post-test	3.62	1.770	5	1	4.50	1.380
5	Pre-test	3.88	1.730	7	2	3.00	1.120
	Post-test	5.62	1.190	7	4	6.00	0.875
6	Pre-test	5.38	1.600	7	2	5.50	1.120
	Post-test	6.50	0.535	7	6	6.50	0.500
7	Pre-test	6.50	0.756	7	5	7.00	0.500
	Post-test	6.62	0.744	7	5	7.00	0.375
8	Pre-test	2.88	1.890	6	1	3.00	1.620
	Post-test	1.50	0.756	3	1	1.00	0.500
9	Pre-test	5.38	1.600	7	2	5.50	1.120
	Post-test	6.12	0.991	7	4	6.00	0.625
10	Pre-test	1.62	0.744	3	1	1.50	0.625
	Post-test	1.88	1.130	4	1	1.50	0.875
11	Pre-test	2.25	1.580	5	1	1.50	1.250
	Post-test	1.62	1.060	4	1	1.00	0.625
12	Pre-test	2.75	1.160	4	1	2.50	1.000
	Post-test	2.12	0.991	3	1	2.50	0.875
13	Pre-test	1.75	0.707	3	1	2.00	0.500
	Post-test	1.25	0.463	2	1	1.00	0.250
14	Pre-test	6.88	0.354	7	6	7.00	0.125
	Post-test	6.88	0.354	7	6	7.00	0.125
15	Pre-test	5.12	1.250	7	4	5.00	0.875
	Post-test	6.38	0.744	7	5	6.50	0.625
16	Pre-test	6.50	0.756	7	5	7.00	0.500
	Post-test	6.62	0.744	7	5	7.00	0.375
17	Pre-test	4.00	0.926	5	3	4.00	0.750
	Post-test	6.00	1.070	7	4	6.00	0.750
18	Pre-test	2.25	1.490	5	1	2.00	1.000
	Post-test	2.50	1.310	5	1	3.00	0.750
19	Pre-test	3.25	1.830	6	1	2.50	1.500
	Post-test	2.50	1.690	5	1	2.00	1.250
20	Pre-test	5.62	1.510	7	3	6.00	1.120
	Post-test	6.88	0.354	7	6	7.00	0.125